

# TA-YANG YACHT BUILDING CO., LTD.

**TAYANA**            TEL: (07) 6412721-3    6412422            60.HAI CHIEN ROAD. CHUNG MEN VILLAGE LIN  
**YACHT**            FAX: (07) 6423193    2229781            YUAN KAOHSIUNG HSIEN. 83206 TAIWAN.  
E-mail: tayangco@ms15.hinet.net            REPUBLIC OF CHINA

---

Dated on Nov. 04, 2011

## **TAYANA 37**

The TAYANA 37 is the best offshore yacht under 40 feet, in both quality and value, on today's market period. More of these yachts have completed circumnavigations than any other model in their size range. They are fast, comfortable at sea, and one of the safest yachts afloat.

Trunk Cabin Cutter

Prices are FOB Taiwan. Prices and specifications are subject to change without notice.

## **STANDARD EQUIPMENT**

### **HULL**

- 01 Hand laid up FRP hull, white with blue cove stripe and boot top.
- 02...Teak rubrail.

### **DECK/HARDWARE**

- 01 Hand laid up FRP cord deck.
- 02...Teak cockpit seats and cockpit grating
- 03...Teak skylight
- 04...Teak companionway hatch with doors & stormboards
- 05...Teak or aluminum forward hatch
- 06...Teak exterior trim
- 07...Teak exterior handrails
- 08...Teak samsom posts forward
- 09...Laminated bow sprit with teak platform & anchor rollers

- 10...Chain locker and one deck pipe
- 11...SS stanchions, vinyl covered dbl lifelines w/ gates P&S
- 12...SS bow pulpit
- 13...SS stern pulpit
- 14...Stainless hawse pipes & mooring cleats (six)
- 15...Stainless steel opening ports (ten)
- 16...Dorade vents (four)
- 17...FRP seahood
- 18...Propane locker for two 20 lb tanks, vented overboard
- 19...Two coaming lockers
- 20...Aluminium mainsheet traveler w/ roller car
- 21...Staysail track
- 22...Aluminium genoa tracks with cars
- 23...Seven Lewmar winches
  - Two 40CST jib sheet
  - One 40CST main sheet
  - One 30CST staysail
  - One 30CST jib halyard
  - One 30CST main halyard
  - One 30CST staysail halyard
- 24...Teak sliding companionway hatch
- 25...Teak coaming caps
- 26...Winch handles

## **ENGINE/MACHINERY**

- 01...Diesel engine – Yanmar 4JHE, fresh water cooled, 55HP
- 02...Engine cooling water intake strainer
- 03...Dripless shaft gland
- 04...Bronze three blade propeller
- 05...Fiberglass drip pan

## **STEERING**

- 01...Pedestal steering
- 02...Teak traditional steering wheel
- 03...Teak & SS emergency tiller
- 04...SS rudder shaft

## **SPARS/RIGGING**

- 01...Aluminium mast & boom, mast with electrical conduits
- 02...5/16" SS standing rigging w/ swaged terminals
- 03...Staysail boom & fittings

## **SAILS**

- 01...Main, 8 oz, w/2 reef points
- 02...Yankee jib, 8 oz, 100%
- 03...Staysail, 8 oz
- 04...Mizzon, 8 oz (ketch only)
- 05...Sail bags for all sails
- 06...Sail covers for all sails (blue)

## **INTERIOR**

- 01...Teak and holly cabin sole
- 02...White formica counters in head & galley. Teak veneer chart & dinette table tops.
- 03...Teak framed mirror in head
- 04...Interior teak handrails
- 05...V-berth filler (if applicable)
- 06...Vinyl cushion covers
- 07...Ice chest insulated w/ 4" PU foam & SS lined
- 08...Interior varnished quality polyurethane satin
- 09...Stove alcove SS lined
- 10...Easily removable head liner
- 11...Ceiling on all exposed hull areas

## **ELECTRICAL**

- 01...Dual 120AH, 12 volt batteries in FRP boxes
- 02...Eight 12 volt cabin lights overhead & six reading lights
- 03...12 volt electrical system w/ 3 way switch, electric panel w/ breakers & volt meter  
& ammeter and DC outlets
- 04...110 volt shore power system w/ 30amp power socket, electric panel w/ breakers

&

volt meter and ammeter, 110 volt outlets throughout yacht

05...International rules running lights

06...Deck flood light

07...Anchor light

## **PLUMBING**

01...90 gallon mild steel fuel tank

02...100 gallon SS fresh water tank

03...30 gallon FRP holding tank

04...10 gallon water heater, (110 or 220volt) & engine heated

05...Manual marine head

06...Hot and cold pressure water system

07...One high capacity manual bilge pump to pump bilge & holding tank

08...One heavy duty electrical bilge pump

09...Bilge pump strainer

10 Sea cocks on all through hull fittings

11...Double clamps on all through-hulls below water line

\*\* The above is subject to changes without notice.

